










REV	DESCRIPTION	DATE	CHECK	APPROVAL
A0	NEW RELEASE	2022/10/20	MA	PENG




NOTES

1. 帶子引導長度
LEAD TAPE LENGTH



2. 上帶 剝離力為 : 0.1~1.3N(10.2gf~130gf)
PEELING OFF FORCE OF TOP TAPE: 0.1~1.3N(10.2gf~130gf)
出貨'運輸過程中一定注意 :
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT :
卷帶在運輸過程中不能散開
PEELING OFF SHOULD NOT BE ALLOWED DURING TRANSPORTATION



	REEL	CARTON
CONNECTOR (PCS)	600	3600



GENERAL TOLERANCE	
X.X	±0.35
X.XX	±0.25
X.XXX	±0.15
PROJECT	



东莞市优连电子有限公司
FRIEND CONN ELECTRONIC CO.,LTD.

APPROVAL	CHECK	DRAWN	DATE
PENG	MA	ZHANG	2022/10/20

PART NO.			
TYSC7111203-W1199			
TITLE			
TYPE C 16P母座 单排垫高2.50mm CH=4.05			
UNIT	SCALE	NUMBER	REV
MM	1:1	A-00	A0